

L Number	Hits	Search Text	DB	Time stamp
-	335	weissman.in. and @ad<=60114261	USPAT; US-PGPUB	2003/11/03 13:55
-	237	weissman.in. and @ad<=19981230	USPAT; US-PGPUB	2003/11/03 13:56
-	1	7.ti.	USPAT; US-PGPUB	2003/11/03 13:57
-	20	7.ab.	USPAT; US-PGPUB	2003/11/03 13:57
-	10	7.ab. and @ad<=19981230	USPAT; US-PGPUB	2003/11/03 14:13
-	281	provid\$3 with protect\$3 with data with storage	USPAT; US-PGPUB	2003/11/03 13:58
-	20	11.ab.	USPAT; US-PGPUB	2003/11/03 13:58
-	106	maintain\$3 with boot\$3 with (file or data)	USPAT; US-PGPUB	2003/11/03 14:14
-	56	(maintain\$3 with boot\$3 with (file or data) ) and @ad<=19981230	USPAT; US-PGPUB	2003/11/03 14:14
-	48	((maintain\$3 with boot\$3 with (file or data) ) and @ad<=19981230) and ((operating adj system) or OS)	USPAT; US-PGPUB	2003/11/03 14:26
-	15	protect\$3 with (region or portion or section or volume) with boot\$3 with (data or file)	USPAT; US-PGPUB	2003/11/03 14:28
-	9	(protect\$3 with (region or portion or section or volume) with boot\$3 with (data or file) ) and @ad<=19981230	USPAT; US-PGPUB	2003/11/03 14:38
-	599	713/193.ccls.	USPAT; US-PGPUB	2003/11/03 14:38
-	283	713/193.ccls. and @ad<=19981230	USPAT; US-PGPUB	2003/11/03 14:38
-	22	protect\$3 with (region or section or portion) with (memory or storage) with ((stor\$3 or copy\$3 or record\$3) near5 (boot\$5 or reset\$3))	USPAT; US-PGPUB	2003/11/03 14:42
-	22	(protect\$3 with (region or section or portion) with (memory or storage) with ((stor\$3 or copy\$3 or record\$3) near5 (boot\$5 or reset\$3))) and @ad<=199812300	USPAT; US-PGPUB	2003/11/03 14:43
-	16	(protect\$3 with (region or section or portion) with (memory or storage) with ((stor\$3 or copy\$3 or record\$3) near5 (boot\$5 or reset\$3))) and @ad<=19981230	USPAT; US-PGPUB	2003/11/03 15:12
-	3	(maintain\$3 or record\$3) with (boot adj record) with (stor\$4 or sav\$3) with (protected adj region) with memory	USPAT; US-PGPUB	2003/11/04 08:48
-	5	(creat\$3 or generat\$3 or produc\$4 or establish\$4) adj (protected adj region)	USPAT; US-PGPUB	2003/11/04 08:50
-	3	(creat\$3 or generat\$3 or produc\$4 or establish\$4) adj (protect\$2 or secure or safe) adj2 (region or section or volume) with memory	USPAT; US-PGPUB	2003/11/04 08:54
-	28	(creat\$3 or generat\$3 or produc\$4 or establish\$4) with (protect\$2 or secure or safe) adj2 (region or section or volume) with memory	USPAT; US-PGPUB	2003/11/04 08:55
-	14	((creat\$3 or generat\$3 or produc\$4 or establish\$4) with (protect\$2 or secure or safe) adj2 (region or section or volume) with memory) and @ad<=19981230	USPAT; US-PGPUB	2003/11/04 08:55
-	2	5651109.URPN.	USPAT	2003/11/04 13:35
-	1	"5195130".PN.	USPAT	2003/11/04 13:35
-	0	6205527.pn. and (protec\$3 near enabl\$3)	USPAT; US-PGPUB	2003/11/04 14:41
-	0	6205527.pn. and (protec\$3 near2 enabl\$3)	USPAT; US-PGPUB	2003/11/04 14:41
-	1	6205527.pn. and (protection)	USPAT; US-PGPUB	2003/11/04 14:41
-	2	(copy\$3 or stor\$3) adj3 (boot adj record) with (protected or secure) with (region or memory or section or volume)	USPAT; US-PGPUB	2003/11/04 15:23
-	1089	(maintain\$3 or keep\$4) with ((boot or startup or access) near2 (record or history or file))	USPAT; US-PGPUB	2003/11/04 15:25

-	12	((maintain\$3 or keep\$4) with ((boot or startup or access) near2 (record or history or file)) ) and (protected or secure or safe) with (region or portion or volume) with (memory or storage)	USPAT; US-PGPUB	2003/11/04 15:27
-	6	(((maintain\$3 or keep\$4) with ((boot or startup or access) near2 (record or history or file)) ) and (protected or secure or safe) with (region or portion or volume) with (memory or storage)) and @ad<=19981230	USPAT; US-PGPUB	2003/11/04 15:32
-	42	(generat\$3 or creat\$3 or establish\$3) with (secure or protected or safe) with (region or volume) with memory	USPAT; US-PGPUB	2003/11/04 15:36
-	18	((generat\$3 or creat\$3 or establish\$3) with (secure or protected or safe) with (region or volume) with memory) and @ad<=19981230	USPAT; US-PGPUB	2003/11/05 14:26
-	10	(updat\$3) near3 (boot adj record)	USPAT; US-PGPUB	2003/11/05 14:33
-	5	((updat\$3) near3 (boot adj record)) and @ad<=19981230	USPAT; US-PGPUB	2003/11/05 14:30
-	14	partition with ((data near2 stor\$5) or memory or NVM) with (protec\$3 or secure) near3 (region or volume or portion)	USPAT; US-PGPUB	2003/11/05 14:32
-	8	(partition with ((data near2 stor\$5) or memory or NVM) with (protec\$3 or secure) near3 (region or volume or portion)) and @ad<=19981230	USPAT; US-PGPUB	2003/11/05 14:32
-	117	(updat\$3 or stor\$3 or chang\$3 or sav\$3) near3 (boot adj record)	USPAT; US-PGPUB	2003/11/05 14:34
-	68	((updat\$3 or stor\$3 or chang\$3 or sav\$3) near3 (boot adj record)) and @ad<=19981230	USPAT; US-PGPUB	2003/11/05 14:54
-	2	(partition\$3 or divid\$3 or establish\$3) with (protected or secure or safe) with (unprotected) with (region or volume) with (non\$volatile\$memory or memory or data\$stor\$3)	USPAT; US-PGPUB	2003/11/05 14:59
-	24	(partition\$3 or divid\$3 or establish\$3) with (protected or secure or safe) with (region or volume) with (non\$volatile\$memory or memory or data\$stor\$3)	USPAT; US-PGPUB	2003/11/05 14:59
-	13	((partition\$3 or divid\$3 or establish\$3) with (protected or secure or safe) with (region or volume) with (non\$volatile\$memory or memory or data\$stor\$3)) and @ad<=19981230	USPAT; US-PGPUB	2003/11/05 14:59
-	1944	(creat\$3 or establish\$3 or set\$3 or generat\$3 or partition\$3) near3 (volume or memory or data\$stor\$5) with (protect\$3 or safe or secur\$3)	USPAT; US-PGPUB	2003/11/06 08:36
-	2784333	1and @ad<=19981230	USPAT; US-PGPUB	2003/11/06 08:35
-	1203	((creat\$3 or establish\$3 or set\$3 or generat\$3 or partition\$3) near3 (volume or memory or data\$stor\$5) with (protect\$3 or safe or secur\$3)) and @ad<=19981230	USPAT; US-PGPUB	2003/11/06 08:36
-	4	(((creat\$3 or establish\$3 or set\$3 or generat\$3 or partition\$3) near3 (volume or memory or data\$stor\$5) with (protect\$3 or safe or secur\$3)) and @ad<=19981230) and (stor\$3 or cop\$3 or sav\$3) with (boot adj record) with (protect\$3 or secure or safe)	USPAT; US-PGPUB	2003/11/06 08:58
-	11	(((creat\$3 or establish\$3 or set\$3 or generat\$3 or partition\$3) near3 (volume or memory or data\$stor\$5) with (protect\$3 or safe or secur\$3)) and @ad<=19981230) and (boot\$3 near2 record)	USPAT; US-PGPUB	2003/11/06 08:42
-	17	(stor\$3 or sav\$3 or cop\$5) near2 ((data or file) with (boot\$3 adj record))	USPAT; US-PGPUB	2003/11/06 09:05
-	13	(maintain\$3 or obtain\$3 or keep\$) near3 (boot\$3 adj record)	USPAT; US-PGPUB	2003/11/06 09:12
-	490	(maintain\$3 or keep\$3) with (record or history) with access with data	USPAT; US-PGPUB	2003/11/06 09:14
-	260	((maintain\$3 or keep\$3) with (record or history) with access with data) and @ad<=19981230	USPAT; US-PGPUB	2003/11/06 09:14
-	10	13.ab.	USPAT; US-PGPUB	2003/11/06 09:17
-	412	boot adj (record or history)	USPAT; US-PGPUB	2003/11/06 09:17

-	55	16.ab.	USPAT; US-PGPUB	2003/11/06 09:27
-	876	(provid\$3 or establish\$3 or creat\$3) with (protec\$3 or secur\$3 or safe) with (region or volume or portion) with (data\$stor\$5 or memory or stor\$5)	USPAT; US-PGPUB	2003/11/06 09:35
-	45	20.ab.	USPAT; US-PGPUB	2003/11/06 09:29
-	9244	(system adj data) with ((data adj stor\$5) or memory)	USPAT; US-PGPUB	2003/11/06 09:53
-	1354	access with (system adj data) with ((data adj stor\$5) or memory)	USPAT; US-PGPUB	2003/11/06 09:57
-	57	24.ab.	USPAT; US-PGPUB	2003/11/06 09:54
-	3	(stor\$3 or sav\$3 or cop\$5) with (system adj data) with (protect\$3 or secur\$3 or safe) with (region or volume)	USPAT; US-PGPUB	2003/11/06 10:27
-	561	protec\$3 same unprotect\$3 same stor\$3	USPAT; US-PGPUB	2003/11/06 10:32
-	3	(protec\$3 same unprotect\$3 same stor\$3) same stor\$3 near3 cop\$3 with data	USPAT; US-PGPUB	2003/11/06 10:30
-	3	(protec\$3 same unprotect\$3 same stor\$3) same (stor\$3 near3 cop\$3 with data)	USPAT; US-PGPUB	2003/11/06 10:31
-	19	protec\$3 same unprotect\$3 same stor\$3 same cop\$3 same (data or file)	USPAT; US-PGPUB	2003/11/06 10:47
-	43	cop\$3 with unprotected with protected	USPAT; US-PGPUB	2003/11/06 10:48
-	10	cop\$3 with unprotected with protected with (area or region or volume)	USPAT; US-PGPUB	2003/11/06 10:50
-	39	cop\$3 same unprotected same protected same data	USPAT; US-PGPUB	2003/11/06 10:50
-	202	(cop\$3 or stor\$4 or sav\$3) same unprotected same ((protected or secure) near3 (region or area or portion or stor\$5 or memory))	USPAT; US-PGPUB	2003/11/06 10:53
-	133	((cop\$3 or stor\$4 or sav\$3) same unprotected same ((protected or secure) near3 (region or area or portion or stor\$5 or memory)) ) and @ad<=19981230	USPAT; US-PGPUB	2003/11/06 10:53
-	98	((cop\$3 or stor\$4 or sav\$3) same unprotected same ((protected or secure) near3 (region or area or portion or stor\$5 or memory)) ) and @ad<=19981230 and data	USPAT; US-PGPUB	2003/11/06 10:53
-	95	(cop\$3 or stor\$4 or sav\$3) same unprotected same (data or file) same ((protected or secure) near3 (region or area or portion or stor\$5 or memory))	USPAT; US-PGPUB	2003/11/06 10:54
-	65	((cop\$3 or stor\$4 or sav\$3) same unprotected same (data or file) same ((protected or secure) near3 (region or area or portion or stor\$5 or memory)) ) and @ad<=19981230	USPAT; US-PGPUB	2003/11/06 11:06
-	109	(stor\$3 or sav\$3 or record\$3) with (boot adj record) with (memory)	USPAT; US-PGPUB	2003/11/06 11:10
-	61	((stor\$3 or sav\$3 or record\$3) with (boot adj record) with (memory)) and @ad<=19981230	USPAT; US-PGPUB	2003/11/06 11:08
-	22	((stor\$3 or sav\$3 or record\$3) with (boot adj record) with (memory)) and @ad<=19981230 and (updat\$3 or chang\$4 or modif\$4) with (boot adj record)	USPAT; US-PGPUB	2003/11/06 11:10
-	196	(stor\$3 or sav\$3 or record\$3) with (boot adj record) with (memory or stor\$4)	USPAT; US-PGPUB	2003/11/06 11:10
-	54	((stor\$3 or sav\$3 or record\$3) with (boot adj record) with (memory or stor\$4)) and (updat\$3 or chang\$4 or modif\$4) with (boot adj record)	USPAT; US-PGPUB	2003/11/06 11:11
-	29	((stor\$3 or sav\$3 or record\$3) with (boot adj record) with (memory or stor\$4)) and (updat\$3 or chang\$4 or modif\$4) with (boot adj record)) and @ad<=19981230	USPAT; US-PGPUB	2003/11/06 11:23
-	73	protected with unprotected with (region or volume or area) with (memory or stor\$3)	USPAT; US-PGPUB	2003/11/06 11:29
-	56	(protected with unprotected with (region or volume or area) with (memory or stor\$3)) and @ad<=19981230	USPAT; US-PGPUB	2003/11/06 11:24

-	32	protected with unprotected with (region or volume or area) with (memory or stor\$3) with (data)	USPAT; US-PGPUB	2003/11/06 13:29
-	7	cop\$3 with (data) with unprotected with protected	USPAT; US-PGPUB	2003/11/06 13:24
-	8	cop\$3 with (data or file) with unprotected with protected	USPAT; US-PGPUB	2003/11/06 13:27
-	1	(cop\$3 with (data or file) with unprotected with protected) not (cop\$3 with (data) with unprotected with protected)	USPAT; US-PGPUB	2003/11/06 13:27
-	1	6205527.pn. and boot adj file	USPAT; US-PGPUB	2003/11/06 13:30
-	1	5214695.pn. and unprotected	USPAT; US-PGPUB	2003/11/06 13:58